

1. Sasaki S, Nomura Y, Fukutomi S, Shirahama N, Kusano H, Akiba J, Sakai H, Hisaka T, Nakashima O, Yano H, Akagi Y, Tanaka H, Okuda K. Intrabiliary growth type of metastasis from colon cancer, 12 years after curative colectomy: a case report. *BMC Surg.* 2019 Jan 18;19(1):8.
2. Kurose H, Ueda K, Kondo R, Ogasawara S, Kusano H, Sanada S, Naito Y, Akiba J, Kakuma T, Igawa T, Yano H. Low-molecular-weight Protein Tyrosine Phosphatase Is a Possible Biomarker for Predicting Postoperative Biochemical Recurrence in Prostate Cancer With Negative Surgical Margins. *Anticancer Res.* 2019 Feb;39(2):957-964.
3. Kawahara A, Abe H, Murata K, Ishii H, Azuma K, Takase Y, Hattori S, Naito Y, Akiba J. Screening system for epidermal growth factor receptor mutation detection in cytology cell-free DNA of cerebrospinal fluid based on assured sample quality. *Cytopathology.* 2019 Mar;30(2):144-149.
4. Takase Y, Naito Y, Okabe Y, Ishida Y, Yamaguchi T, Abe H, Murata K, Ito T, Tanigawa M, Kawahara A, Yano H, Akiba J. Insulinoma-associated protein 1 expression in pancreatic neuroendocrine tumours in endoscopic ultrasound-guided fine-needle aspiration cytology: An analysis of 14 patients. *Cytopathology.* 2019 Mar;30(2):194-200.
5. Daniels SJ, Leeming DJ, Eslam M, Hashem AM, Nielsen MJ, Krag A, Karsdal MA, Grove JJ, Neil Guha I, Kawaguchi T, Torimura T, McLeod D, Akiba J, Kaye P, de Boer B, Aithal GP, Adams LA, George J. ADAPT: An Algorithm Incorporating PRO-C3 Accurately Identifies Patients With NAFLD and

Advanced Fibrosis. *Hepatology*. 2019 Mar;69(3):1075–1086.

6. Abe Y, Ogasawara S, Akiba J, Naito Y, Kondo R, Nakamura K, Kusukawa J, Yano H. Expression and role of regulator of G-protein signaling 5 in squamous cell carcinoma of the tongue. *Clin Exp Dent Res*. 2019 Mar 4;5(2):160–169.
7. Komaki S, Sugita Y, Furuta T, Yamada K, Moritsubo M, Abe H, Akiba J, Miyagi N, Nakamura H, Miyoshi H, Ohshima K, Morioka M. Expression of GLUT1 in Pseudopalisaded and Perivascular Tumor Cells Is an Independent Prognostic Factor for Patients With Glioblastomas. *J Neuropathol Exp Neurol*. 2019 May 1;78(5):389–397.
8. Matsuoka M, Kawayama T, Tominaga M, Kaieda S, Tokunaga Y, Kaku Y, Imaoka H, Kinoshita T, Okamoto M, Akiba J, Hoshino T. Attenuated Airway Eosinophilic Inflammations in IL-38 Knockout Mouse Model. *Kurume Med J*. 2019 May 16;65(2):37–46.
9. Matsubara T, Takada K, Azuma K, Takamori S, Toyokawa G, Haro A, Osoegawa A, Tagawa T, Kawahara A, Akiba J, Okamoto I, Nakanishi Y, Oda Y, Hoshino T, Maehara Y. A Clinicopathological and Prognostic Analysis of PD-L2 Expression in Surgically Resected Primary Lung Squamous Cell Carcinoma. *Ann Surg Oncol*. 2019 Jun;26(6):1925–1933.
10. Takamori S, Takada K, Azuma K, Jogo T, Shimokawa M, Toyokawa G, Hirai F, Tagawa T, Kawahara A, Akiba J, Okamoto I, Nakanishi Y, Oda Y, Hoshino T, Maehara Y. Prognostic

Impact of Programmed Death-Ligand 2 Expression in Primary Lung Adenocarcinoma Patients. *Ann Surg Oncol*. 2019 Jun;26(6):1916-1924.

11. Programmed death-ligand 1 expression is an unfavorable prognostic factor of hepatocellular carcinoma after achieving sustained virologic response for hepatitis C virus infection.
Kondo R, Akiba J, Ogasawara S, Nakashima O, Naito Y, Kusano H, Mihara Y, Tanigawa M, Yano H.
Oncol Lett. 2019 Aug;18(2):1458-1466.

Taniwaki S, Hisaka T, Sakai H, Goto Y, Nomura Y, Kawahara R, Ishikawa H, Yasunaga M, Naito Y, Akiba J, Yano H, Tanaka H, Akagi Y, Okuda K. Sarcomatous Component in Pancreatic Adenosquamous Carcinoma: A Clinicopathological Series of 7 Cases. *Anticancer Res*. 2019 Aug;39(8):4575-4580.

12. Midorikawa R, Hisaka T, Sakai H, Nomura Y, Goto Y, Sato T, Kawahara R, Ishikawa H, Fujita F, Yasunaga M, Tanigawa M, Naito Y, Akiba J, Yano H, Tanaka H, Akagi Y, Okuda K. Clinical and Prognostic Significance of Neoplastic Spindle Cells in Gallbladder Cancer. *Anticancer Res*. 2019 Aug;39(8):4561-4568.

13. Sato T, Hisaka T, Sakai H, Ishikawa H, Kawahara R, Goto Y, Nomura Y, Yasunaga M, Fujita F, Tanigawa M, Naito Y, Akiba J, Yano H, Tanaka H, Akagi Y, Okuda K. Clinicopathological Study of Resections of Intraductal Papillary Neoplasm of the Bile Duct. *Anticancer Res*. 2019 Aug;39(8):4569-4573.

14. Hisaka T, Ishikawa H, Sakai H, Kawahara R, Goto Y, Nomura Y, Yasunaga M, Kinugasa T, Fujita F, Mizobe T, Fukahori M, Miwa K, Nakashima O, Tanigawa M, Naito Y, Akiba J, Yano H, Tanaka H, Akagi Y, Okuda K. Sinusoidal Obstruction Syndrome and Postoperative Complications Resulting from Preoperative Chemotherapy for Colorectal Cancer Liver Metastasis. *Anticancer Res.* 2019 Aug;39(8):4549-4554.
15. Akashi M, Hisaka T, Sakai H, Ishikawa H, Kawahara R, Goto Y, Nomura Y, Yasunaga M, Fujita F, Tanigawa M, Naito Y, Akiba J, Yano H, Tanaka H, Akagi Y, Okuda K. Expression of Matrix Metalloproteinases in Intraductal Papillary Mucinous Neoplasm of the Pancreas. *Anticancer Res.* 2019 Aug;39(8):4485-4490.
16. Sato F, Ono T, Kawahara A, Kawaguchi T, Tanaka H, Shimamatsu K, Kakuma T, Akiba J, Umeno H, Yano H. Prognostic impact of p16 and PD-L1 expression in patients with oropharyngeal squamous cell carcinoma receiving a definitive treatment. *J Clin Pathol.* 2019 Aug;72(8):542-549.
17. Tanegashima T, Togashi Y, Azuma K, Kawahara A, Ideguchi K, Sugiyama D, Kinoshita F, Akiba J, Kashiwagi E, Takeuchi A, Irie T, Tatsugami K, Hoshino T, Eto M, Nishikawa H. Immune Suppression by PD-L2 against Spontaneous and Treatment - Related Antitumor Immunity. *Clin Cancer Res.* 2019 Aug 1;25(15):4808-4819.
18. Mihara Y, Akiba J, Ogasawara S, Kondo R, Fukushima H, Itadani H, Obara H, Kakuma T, Kusano H, Naito Y, Okuda K, Nakashima O, Yano H. Malic enzyme 1 is a potential marker

of combined hepatocellular cholangiocarcinoma, subtype with stem-cell features, intermediate-cell type. *Hepatol Res.* 2019 Sep;49(9):1066-1075.

19. Abe H, Takase Y, Sadashima E, Fukumitsu C, Murata K, Ito T, Kawahara A, Naito Y, Akiba J. Insulinoma-associated protein 1 is a novel diagnostic marker of small cell lung cancer in bronchial brushing and cell block cytology from pleural effusions: Validity and reliability with cutoff value. *Cancer Cytopathol.* 2019 Sep;127(9):598-605.
20. Naito Y, Ishikawa H, Sadashima E, Okabe Y, Takahashi K, Kawahara R, Hisaka T, Fukahori M, Ushijima T, Ishida Y, Tanigawa M, Mihara Y, Nakayama M, Kondo R, Kusano H, Takase Y, Abe H, Ogo E, Okuda K, Shimamatsu K, Yano H, Akiba J. Significance of neoadjuvant chemoradiotherapy for borderline resectable pancreatic head cancer: Pathological local invasion and microvessel invasion analysis. *Mol Clin Oncol.* 2019 Sep;11(3):225-233.
21. Kurose H, Naito Y, Akiba J, Kondo R, Ogasawara S, Kusano H, Sanada S, Abe H, Kakuma T, Ueda K, Igawa T, Yano H. High sulfite oxidase expression could predict postoperative biochemical recurrence in patients with prostate cancer. *Med Mol Morphol.* 2019 Sep;52(3):164-172.
22. Koga H, Imamura T, Urae K, Furuta T, Akiba J, Nakama T. Invasive Aspergillose der Lunge bei bullösem Pemphigoid. *J Dtsch Dermatol Ges.* 2019 Oct;17(10):1060-1062.

23. Koga H, Imamura T, Urae K, Furuta T, Akiba J, Nakama T. Invasive pulmonary aspergillosis associated with bullous pemphigoid. *J Dtsch Dermatol Ges.* 2019 Oct;17(10):1060-1062.
24. Kurose H, Ueda K, Kondo R, Ogasawara S, Kusano H, Sanada S, Naito Y, Nakiri M, Nishihara K, Kakuma T, Akiba J, Igawa T, Yano H. Elevated Expression of EPHA2 Is Associated With Poor Prognosis After Radical Prostatectomy in Prostate Cancer. *Anticancer Res.* 2019 Nov;39(11):6249-6257.
25. Ogasawara S, Mihara Y, Kondo R, Kusano H, Akiba J, Yano H. Antiproliferative Effect of Lenvatinib on Human Liver Cancer Cell Lines In Vitro and In Vivo. *Anticancer Res.* 2019 Nov;39(11):5973-5982.
26. Kawaguchi T, Ide T, Kondo R, Nomura Y, Arinaga-Hino T, Kuwahara R, Amano K, Sano T, Akiba J, Ohshima K, Yano H, Torimura T. Histological changes in patients who developed hepatocellular carcinoma after hepatitis C virus eradication by interferon-based therapy. *Exp Ther Med.* 2019 Nov;18(5):3991-4001.
27. Kusano H, Naito Y, Mihara Y, Kondo R, Ogasawara S, Akiba J, Nakashima O, Yano H. Distinctive clinicopathological features and KRAS and IDH1/2 mutation status of cholangiolocellular carcinoma. *Hepatol Res.* 2020 Jan;50(1):84-91.

28. Fukunaga S, Mori A, Ohuchi A, Yoshioka S, Akiba J, Mistuyama K, Tsuruta O, Torimura T. Gastrointestinal: Abdominal pain, diarrhea, and bloody stools in a patient treated for renal cell carcinoma with sunitinib. *J Gastroenterol Hepatol.* 2020 Jan;35(1):10.
29. Renne SL, Woo HY, Allegra S, Rudini N, Yano H, Donadon M, Viganò L, Akiba J, Lee HS, Rhee H, Park YN, Roncalli M, Di Tommaso L. Vessels Encapsulating Tumor Clusters (VETC) Is a Powerful Predictor of Aggressive Hepatocellular Carcinoma. *Hepatology.* 2020 Jan;71(1):183-195.
30. Sato K, Ono T, Sato F, Kawahara A, Azuma K, Kawaguchi T, Akiba J, Umeno H. Different responses to nivolumab therapy between primary and metastatic tumors in a patient with recurrent hypopharyngeal squamous cell carcinoma. *Oral Oncol.* 2020 Feb;101:104366.
31. Shibata T, Watari K, Kawahara A, Sudo T, Hattori S, Murakami Y, Izumi H, Itou J, Toi M, Akiba J, Akagi Y, Tanaka M, Kuwano M, Ono M. Targeting Phosphorylation of Y-Box-Binding Protein YBX1 by TAS0612 and Everolimus in Overcoming Antiestrogen Resistance. *Mol Cancer Ther.* 2020 Mar;19(3):882-894.